



What is a Blood Clot?



A blood clot is when your blood changes from a liquid to a solid.

This is usually a good thing but sometimes is a bad thing.

A blood clot is a good thing because it stops the bleeding when you cut or hurt yourself.

Blood clots can develop in your veins (v-ay-n-s) or arteries (art-er-ees) which are the pipes that carry your blood back and forth to your heart.


Sometimes blood clots form in places they are not supposed to; this is called a bad blood clot or "throm-bo-sis".

How Does Blood Clot?

There are **proteins** (pro-teens) in your blood that are so There are **proteins** (pro-teens) in your blood that are so small you cannot see them without a special magnifying glass. These **proteins** work together to make sure your body makes a clot when you need it. Some of these **proteins** are called **factors**.

These **factors** act like dominoes. Some of the things that cause your body to make a blood clot are seen in the bubble in the picture.

When these things happen to you, your blood clotting system gets 'turned on' like tapping the dominoes. When each protein gets turned on it works like a tapped domino and falls on to the next one or two, causing them to fall. Like dominoes, each protein will turn on the next one and on and on. When the last factor falls it makes a scab to stop the bleeding within minutes.




The proteins
work together to
balance blood
clotting so that your
blood does not make
a clot when it does
not need one.

KIDCLOT © 2005 Mary E Bauman


KIDCLOT© Kids Informed Decrease

Complications Learning On Thrombosis



Other important **proteins** have names like **C** and **S** or **AT**. The workmen are acting like **S** and their slow signs like **C**. The dogs are acting like **AT** and get in the way of the dominoes falling. These **proteins C**, **S** and **AT** work to **slow** down the falling domino-like blood clotting system. The workmen (**S**), slow signs (**C**) and dogs (**AT**) are very important to make sure your blood does not **clot** when your body does not need one.


Illustrated by Rebecca Bauman



What is PT G20210A?

The workmen in the picture act as protein S and the slow sign like protein (C). (S) tells (C) when to slow blood clotting down. Also, the dogs named AT get in the way of the dominoes falling. This slows down blood clotting so you don't get blood clots in the wrong place or when you don't need one.

In this picture you will see different II (2). Some people make too much II (2). That means the AT, has trouble slowing II (2) from falling. This means that sometimes your body may make a clot when it shouldn't.



The bad clots usually form in the

pipes that carry the blood back to the heart. These blue pipes are called veins (v-ay-ns).

Arteries (ar-ter-ees) are the red pipes.

Arteries carry the blood from your heart to your body.

What Would a Bad Clot Feel Like?
Sometimes your body makes a blood clot when it does not need one.
This is a bad blood clot and is called deep vein thrombosis.
If your body makes a bad blood clot you will have pain and puffiness in the area where the blood clot is even when you haven't hurt that area, OR you may find it hard to breathe even if you do not have asthma or a cold.

What Does PT G20210A (too much 2) Mean For You?

Making too much 2 is due to having a different Prothrombin (pro-th-rom-bin) Gene called a mutation (mu-tay-shun). This different DNA gene is called G20210A.

Having too much 2 does <u>not</u> mean you did something wrong. You will always make too much 2. Even though you make too much 2, it does not mean you are sick or that you will get sick one day. Some of the things that cause bad clots when you make too much 2 are seen in the picture.







You should tell your doctor if any of these things happen to you.

Your doctor may give you a small dose of medicine to help slow down your blood clotting.

This medicine is called a blood thinner. Blood thinners help stop your body from making blood clots when you do not need one.

Girls with too much 2 are special. When you have too much 2 and are getting a bad blood clot.

you have a bigger chance of

Some girls take pills to stop them from having a baby. These pills are made of estrogen and will give you an even bigger chance of getting a **bad blood clot**. You should talk to your doctor before you take these pills. When you do decide to have a baby, tell your doctor that you have **too much 2**.

How Did You Get It?

Building a person is not magic. Building a person requires a set of instructions. Tiny cells in your body store those **instructions** in a long, twisted particle called **DNA**.

The **DNA** controls everything about you,


from the colour of your hair, to how tall you are, to the size of your feet. Your body carries billions of cells and each has 2 copies of **DNA** instructions.

When you are born some **DNA** instructions come from your mom and some from your dad. You won't know which DNA instructions for **20210A** you will get until you are born.

Let's say you are one of the children in the box, pick one. One parent is blue the other parent is blue/green.

The blue/green parent has DNA instructions for 20210A. The blue 20210A. If you have green DNA instructions for 20210A you you need.

Did you have as much as Did you instructions for 20210A you you need.



Usual PT 20210A
Different PT 20210A

Did you pick the **blue-green** child? You could just as easily have picked the **blue** child. You had the same chance of picking the **different 20210A**child as you had for picking the blue child BUT you cannot pick your **DNA** instructions.

'An-ti' means against,
'co-ag' means clot,
"anticoagulant" is a
blood thinner





OR








Preventing Blood Clots!

Have You Had a Bad Blood Clot?

The bad clots form in the pipes that carry the blood back to the heart. These blue pipes are called **veins** (**v-ay-ns**).



Arteries (ar-ter-ees) are the red pipes. Arteries carry the blood from your heart to your body.

If you have had a bad blood clot and you are in any of the situations pictured in the bubble







may give you a small amount of medicine

called a blood thinner so that your body will not make another clot when it does not need one.



How Does a Blood Thinner Work?

A blood thinner slows down the time it takes for your blood to make a clot.

The blood thinner helps **S**, **C** and **AT** slow down the dominoes when they fall. This means it will take longer for your blood to make a clot. If you cut yourself when you are taking a blood thinner, it takes about 2-3 times longer for you to stop bleeding.

KIDCLOT © 2005 Mary Bauman

Illustrated by Rebecca Bauman




If you have any difference in your blood clotting system, you may need medicine to prevent blood clots.

Did the Doctors Operate to Help your Heart Work Better?

Some children have hearts that are not able to pump the blood through the pipes of their bodies.

The surgeon operates to fix their heart.

Sometimes when a heart is fixed, it may be more likely to make a blood clot when it shouldn't.



Your doctor may give you a small amount of medicine called a blood thinner so that your heart will not make a clot when it shouldn't.

Important Things To Know If You are Taking a Blood Thinner

- Blood thinners will cause you to bruise and may cause bleeding.
- You must wear a helmet when you are riding a bike, roller-blading, skateboarding or skiing.
- If you fall and hit your head, you must tell your mom or dad.
- If you cut yourself, hold the cut tight for 10 minutes.
- If you are having any surgery that may cause bleeding tell your doctor or nurse who helps you with your blood thinner.

